



WE CLAIM:

1. A synergistic composition comprising a first composition represented by formula III or formula IIIa



and a second composition ii) selected from a), b), c), d), or e) below, wherein

a) is



;

b) is chlorothalonil, copper hydroxide, copper oxychloride, folpet, captan, fluazinam, cyazofamid, ethaboxam, cymoxanil, dimethomorph, iprovalicarb, benthivalicarb, fosetyl-Al/phosphonic acid, propamocarb, an epimeric and diastereoisomeric form of dipeptide fungicide, or a N-sulfonylvaline amide, or a combination thereof;

c) is a mitochondrial Qo-site inhibitor;

d) is an acylalanine; and

e) is an alkylenebis(dithiocarbamate).

2. The composition of Claim 1 wherein c) is a strobilurin, dihydroimidazolone, or oxazolidinedione fungicide.

3. The composition of Claim 1 wherein c) is azoxystrobin, picoxystrobin, trifloxystrobin, pyraclostrobin, kresoxim-methyl, metominostrobin, fluoxastrobin, enestroburin, fenamidone and famoxadone, or combination thereof.

4. The composition of Claim 1 wherein d) is furalaxyl, metalaxyl, mefenoxam (also known as metalaxyl-M) benalaxyl, ofurace or oxadixyl.

5. The composition of Claim 1 wherein e) is mancozeb, maneb, metiram, nabam, propineb, or zineb.

6. The composition of Claim 1 wherein the second composition ii) is a); and the synergistic composition additionally comprises mancozeb, cymoxanil, dimethomorph, copper oxychloride, fosetyl-Al, folpet, or mefenoxam.

7. A synergistic composition comprising a disease inhibiting and phytologically acceptable amount of a synergistic composition according to Claim 1 or Claim 6 and at least one additional pesticidal compound selected from the group consisting of fungicides, insecticides, nematocides, miticides, arthropodocides, and bactericides.

8. A process to control or prevent a fungal attack said process comprising applying to a locus a fungicidal amount of a synergistic composition according to Claim 1 or Claim 6.